



# Cordless MULTIMASTER AMM 700 Max Top

#### Cordless oscillating multi-tool

Our best MultiTool for ultra-rapid work progress for interior construction and renovation with 60 accessories – for sawing in wood, metal, plastics, for removing tiles, cutting silicone caulking and carpeting, and removing residual and tile adhesive.

Product number: 7 129 34 61 09 0

#### **Details**

- Anti-vibration: Minimal vibration and outstanding noise dampening means you can work comfortably, for longer.
- > StarlockMax tool mounting: Work faster and with higher precision thanks to 100% no-loss power transmission.
- > QuickIN: Change accessories in under 3 seconds with a patented, tool-free, FEIN rapid-clamping system.
- With the StarlockMax tool mounting, you have access to around 180 FEIN accessories in the Starlock, StarlockPlus and StarlockMax performance categories.
- > 18 V FEIN PowerDrive motor: Especially powerful, virtually wear-free brushless motor with high

- efficiency, extremely high load handling and long service life.
- > Metal drive head: 100% of gearbox components are made from metal providing high load capacity and long service life.
- > Mechanical interface: For stationary use in the table or drill jig holders, or to attach depth stops.
- > SafetyCell technology: Perfect protection from overload, overheating and deep discharge thanks to Li-ion batteries with individual cell monitoring.
- > The battery capacity can be read directly on the battery.



#### Price includes

- 2 E-Cut standard saw blades, curved (1-3/8 [35] in[mm])
- 1 E-Cut Precision saw blade (2-9/16 [65] in[mm])
- 1 E-Cut Long Life saw blade (1-1/4 [32] in[mm])
- 1 segmented saw blade (Ø 3-3/8 🏑 [85] in[mm])
- 1 rigid scraper blade
- 1 perforated sanding pad
- 1 rapid charger ALG 80

- 2 E-Cut standard saw blades, curved (2-1/2 [65] in[mm])
- 1 E-Cut Long Life saw blade (10 mm)
- 1 E-Cut Long Life saw blade (1-5/8 [42] in[mm])
  - 1 carbide segment saw blade
- 1 mushroom-shaped cutting blade
- 40 perforated sanding sheets (10 / each of grits 60, 80, 120, 180)
- 2 Li-ion battery packs (18 V / 3

- 1 E-Cut Precision saw blade (1-3/8 [35] in[mm])
- 2 E-Cut Long Life saw blades (1-3/8 [35] in[mm])
- 1 E-Cut Carbide Pro saw blade (1-1/4 [32] in[mm])
- 1 carbide rasp (triangular)
- 1 Multi-knife
  - 1 dust extraction device
- 1 tool case

#### Product feature

Mechanical interconnection



#### Technical data

Tool mount

Tool change

Range

#### TECHNICAL DATA

## VIBRATION AND SOUND EMISSION VALUES

Battery voltage

Battery capacity

3 Ah

Battery compatibility

Li-ion / HighPower Li-ions

Battery interface

MultiVolt

Oscillations

10,000 - 19,500 opm

StarlockMax

QuickIN

2 x 2,0°

Sound pressure level LpA 83 dB Measurement uncertainty of the 3 dB measured value KpA Sound power level LWA 94 dB Measurement uncertainty of the 3 dB measured value KWA Peak sound value 97 dB LpCpeak Measurement uncertainty of the 3 dB measured value KpCpeak

Weight incl. battery

3.53 [1.60] lbs[kg]

Weight without battery

2.43 [1.10] lbs[kg]



### Application examples

















