PJ1696 16" Jointer

Large capacity, Parallelogram Bed design and Helical Insert Cutterhead make this 16-inch jointer from Powermatic the best value on the market. - 110

PJ1696 16" Jointer

The new 16-inch jointer offers big capacity and performance in a machine that is loaded with features. Large center-mounted fence assembly adjusts easily via rack and pinion system with ram lock. Preset stops on the fence body allow for fast angle set-up at 45 degrees in and out and a positive stop for perfect 90. ■ The Parallelogram design keeps the table in close proximity to the cutterhead for improved finish and allows for a fast depth of cut adjustment. This design also insure the tables remain perfectly parallel even after years of tough duty. The specially designed solid steel Helical cutterhead consists of six rows of staggered 14 mm inserts precision ground on 2 sides. This system makes fast work of knife changing and never needs adjustment. ■ The big 7½HP motor delivers all the power you will need for even the biggest jobs!

FEATURE	BENEFIT
7 ¹ / ₂ HP 3PH motor	Capacity to handle the largest work
Center-mounted cast iron fence assembly	Can support large stock at any angle
Helical cutterhead with 2-sided insert tooling	Quickly change cutting edge with no need for adjustments and extremely quiet operations
Large 16" x 96" table surface	Maximum support for accuracy and a fine finish
Full size rabbetting table	Supports large workpieces for rabbets up to ³ / ₄ inch deep
Parallelogram construction	Fast set up and maintains tables in parallel plane even after years of tough duty




Solid Steel Helical Insert Head with 14 mm two-sided knives, no adjustment required after changing knives. Reduced sound levels when cutting.



Large center-mounted fence with rack and pinion adjustment and ram lock. Positive stops for 90 and 45 degrees in and out.

The Gold Standard Since 1921.





PJ1696 16" Jointer

Model Number	PJ1696
Stock Number 3PH	1791283
Motor HP/Voltage/PH	7 ¹ / ₂ HP 230/460V 3PH
Maximum Working Width	16"
Maximum Depth Cut	3/4"
Cuts Per Minute	20,800
Table Size L x W	19" x 96"
Infeed Table L	47 ¹ /2"
Outfeed Table L	47 ¹ /4"
Rabbeting Ledge	5" x 24 ¹ /2"
Table Height	37 ¹ /2"
Fence Size H x L	5 ¹ /4" x 47 ¹ /4"
Fence Tilts	45 degrees in/out
Fence Positive Stops	45 deg., 90 deg.
Cutterhead Diameter	4.5"
# of Knives Helical Head	105 2-sided inserts
Standard Knife Size	14 x 2 mm
Cutterhead Speed	5200 rpm
Rabbeting Capacity	3/4"
Dust Connect Diameter	6"
Minimum CFM Required	800
Shipping Weight	1400 Lbs
Net Weight	1280 Lbs
Overall Dimensions	96"L x 46"W x 43"H
Shipping Dimensions	102"L x 39"W x 29 ¹ /2"H
PN Accy. Cutterhead Inserts (10 pcs per box) 14 x 2 mm	6400013

WMH TOOL GROUP Industrial Woodworking Machinery Division 427 Sanford Road LaVergne, TN 37086

1-800-248-0144 www.powermatic.com Part No. 91-607