

# MULTIMASTER MM 700 1.7 Basic

## Oscillating MultiTools - MM 700

Our best oscillating MultiMaster for the automotive sector with an extra flat drive head for work in narrow spaces.

Product number: 7 229 69 61 09 0



## Details

- > Designed for removing windshields and working on car bodies.
- > Anti-vibration: Minimal vibration and outstanding noise dampening means you can work comfortably, for longer.
- > Hexagonal accessory mount for optimal torque transfer.
- > 450 W FEIN high-performance motor: Durable, overload-protected, high-performance motor with high proportion of copper for higher cutting speed and ultra-rapid work progress.
- > Variable Speed: Constant speed even under load and variable electronic speed control.
- > Metal drive head: 100% of gearbox components are made from metal providing high load capacity and long service life.
- > Industrial-strength cable: The 16 ft (5m) rubber-clad, industrial-quality cord gives you room to work.

## Price includes

- ✓ 1 wrench
- ✓ 1 mounting bolt (3 30 01 039 01 7)
- ✓ 1 whetstone (6 37 19 010 01 4)
- ✓ 1 tool case



## Technical data

### TECHNICAL DATA

Power consumption	450 W
Power output	250 W
Oscillations	10,000 - 19,500 opm
Tool mount	Hexagon
Tool change	Manual with screw, hexagonal socket
Range	2 x 1,7°
Cable with plug	16.4 [5] ft[m]
Weight	3.20 [1.45] lbs[kg]

### VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA  
Measurement uncertainty of the measured value KpA

82 dB  
3 dB

Sound power level LWA  
Measurement uncertainty of the measured value KWA

93 dB  
3 dB

Peak sound value

LpCpeak  
Measurement uncertainty of the measured value KpCpeak

96 dB  
3 dB

Application examples

