4-Pc CNC Collection No.





CNC 4-PC Simulated MDF Shaker Door Router Bit Set









INDUSTRIAL

CNC 4-PC SIMULATED MDF SHAKER DOOR SET

1/4" SHANK

Designed specifically for creating simulated MDF shaker doors

Congratulations on the purchase of your new Amana Tool® CNC set, a premier CNC router bit set.



Material Key Chart:









Ouestions?

Call the Technical Hotline

(800) 445-0077 +1 (631) 752-1300





A Vectric File Warning:

The Vectric .tool file should only be used in conjunction with the Amana Tool® item number specified. Using this file with other brands is dangerous to the operator and CNC machine.

*RPM: Revolutions Per Minute **IPM: Inches Per Minute



#45525

SPOILBOARD/FLATTENING

Carbide Tipped

Diameter: 1-1/8"

Cutting Height: 1/2"

Shank: 1/4"

Overall Length: 1-13/16"

Wings: 3 Wing

CNC Running Parameters:

RPM: 18.000*

Feed Rate: 100" IPM**

Ramp Down Rate: 34" IPM** Max Depth Per Pass: 1/8"





#46200-K

SPIRAL FLUTE PLUNGE

Solid Carbide, Down-Cut

1/8" Diameter: **Cutting Height:** 1/2" Shank: 1/4" **Overall Length:**

Flutes: 2 Flute Down-Cut

CNC Running Parameters:

RPM: 18,000* Feed Rate: 40" IPM** Ramp Down Rate: 20" IPM**

Max Depth Per Pass: 1 x Diameter







60° V-GROOVE

Solid Carbide

1/4" Diameter: **Cutting Height:** 7/32" Shank: 1/4" **Overall Length:** 3 Flute Flutes:

CNC Running Parameters:

RPM: 18,000* Feed Rate: 90" IPM** Ramp Down Rate: 30" IPM**



Max Depth Per Pass: 1 x Diameter



#46170-K

COMPRESSION SPIRAL

Solid Carbide

1/4" Diameter: **Cutting Height:** 7/8" Shank: 1/4"

Overall Length: 2-1/2" Flutes: 2 Flute

CNC Running Parameters:

RPM: 18,000*

Feed Rate: 110" IPM** Ramp Down Rate: 55" IPM**

Max Depth Per Pass: 1 x Diameter






4 STEPS TO CREATE SIMULATED MDF DOORS

Nest Cut Doors from Sheet





Cuts Flat Panels Corners

